



09/08/03

2832

IN THE UNITED STATES PATENT AND
TRADEMARK OFFICE



RECEIVED

SEP 11 2003

TECHNOLOGY CENTER 2800

In re Application of:
Bruce Bower et al.
Serial No. 10/072,587
Filed: February 8, 2002
For: Current Control Device

Group 2832
Examiner: Karl D. Easthom

REPLY TO RESTRICTION UNDER 35 U.S.C. 121


Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In reply to the Office Action dated August 25, 2003, Applicant elects Group III which includes claims 23-31.

The Applicant has elected one of five inventions identified by Examiner. Applicant respectfully requests further examination.

Respectfully submitted,



Michael G. Crilly, Esquire
Registration No. 44,631
104 South York Road
Hatboro, PA 19040
Telephone: 215-672-6220
Fax: 215-672-1639
Email: crilly@erols.com



Express Mail Certificate

RECEIVED
SEP 11 2003
COMMUNICATIONS CENTER 2600

Applicant: Bower et al.

Application: Current Control Device

SERIAL No.: 10/072,587

Express Mail No.: EL948276066US

Date of Deposit: Sept 6, 2003

I hereby certify that this Reply to Office Action is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date shown above and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22213-1450.

Michael G. Crilly
Patent Attorney
Registration No. 44,631